



220A Engelwood Drive, Orion, Michigan 48359 USA
(Toll Free) 1-877-777-4514 (Intl) 248-845-4515 (Fax) 248-287-4515
www.PremierPlasticResins.com info@premierplasticresins.com

Typical Data Sheet

Thermoplastic Polyolefin Based Elastomer

Test Description	Method	Properties	
		English	S.I.
Tensile Strength at Yield, psi (Mpa)	D-412	2,100	14.5
Elongation at Break, %	D-412	500	
Compression Set (168 hrs at 100C), %	D-395	45	
Hardness Shore A	D-2240	87	
Specific Gravity	D-792	0.960	
Linear Mold Shrinkage	D-955	0.0130	

Values shown are averages and not to be construed as specifications.